Geotechnical Testing Journal
Index to Volume 7
1984

Number	Month of Issue	Pages
1	March	1–48
2	June	49–112
3	September	113–172
4	December	173–236

A

Acar, Y. B.: *see* Rad, N. S. and Acar, Y. B.

Arching: Measurement of lateral stress around multihelix anchors in sand (Clemence and Pepe), Sept., 145

Askegaard, V.: Design basis for cells measuring shear stresses in an interface, June, 94

Asphalt: Design of polyvinly chloride tar mixes for resistance to permanent deformation (Singh and Dhliwayo), March, 19

At rest pressures: Measurement of lateral stress around multihelix anchors in sand (Clemence and Pepe), Sept., 145

Auger borings: A field study of an automatic SPT hammer system (Riggs, Mathes, and Rassieur), Sept., 158

Aurora, R. P.: *see* Yazdanbod, A., O'Neill, M. W., and Aurora, R. P.

B

Baldwin, K.: *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.

Bloomquist, D. G., Davidson, J. L., and Townsend, F. C.: Platform orientation and start-up time during centrifuge testing, Dec., 195

Boreholes: Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack (Heuze), Dec., 205

Boynton, S. S.: *see* Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.

Briaud, J.-L. and Gambin, M.: Suggested practice for drilling boreholes for pressuremeter testing, March, 36

Burland, J. B.: *see* Symes, M. J. and Burland, J. B.

C

Calibrations: Design basis for cells measuring shear stresses in an interface (Askegaard), June, 94

Capillary pressures: Laboratory evaluation of soil suction components (Edil and Motan), Dec., 173

Celikkol, B.: *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.

Centrifuges:

The centrifuge as a research tool (Cheney and Fragaszy), Dec., 182

Drum centrifuge for geotechnical research (Cheney, Fragaszy, and Schofield), Dec., 188

Microcomputer based data acquisition systems for centrifuge modeling (Shen, Li, and Kim), Dec., 200

Platform orientation and start-up time during centrifuge testing (Bloomquist, Davidson, and Townsend), Dec., 195

Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.: Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands, Dec., 211

Chemical grouts: Gelation of chemical grouts while in motion (Daniele, Hutchinson, Karol, Ospitia, and Reim), June, 107

Cheney, J. A. and Fragaszy, R. J.: The centrifuge as a research tool, Dec., 182

Cheney, J. A., Fragaszy, R. J., and Schofield, A. N.: Drum Centrifuge for geotechnical research, Dec., 188

Chen, S. Y.: *see* Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.

Chung, R. M., Yokel, F. Y., and Drnevich, V. P.: Evaluation of dynamic properties of sands by resonant column testing, June, 60

Clays

Laboratory evaluation of soil suction components (Edil and Motan), Dec., 173

Platform orientation and start-up time during centrifuge testing (Bloomquist, Davidson, and Townsend), Dec., 195

The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses (Znidarcic, Croce, Pane, Ko, Olsen, and Schiffman), Sept., 123

Clemence, S. P. and Pepe, F. D., Jr.: Measurement of lateral stress around multihelix anchors in sand, Sept., 145

Coal: Design of polyvinyl chloride tar mixes for resistance to permanent deformation (Singh and Dhliwayo), March, 19

Computers: Computer-aided pressuremeter tests (Law), June, 99

Consolidation: Microcomputer based data acquisition systems for centrifuge modeling (Shen, Li, and Kim), Dec., 200

Consolidation rate: The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses (Znidarcic, Croce, Pane, Ko, Olsen, and Schiffman), Sept., 123

Croce, P.: *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.

D

Damping: Evaluation of dynamic properties of sands by resonant column testing (Chung, Yokel, and Drnevich), June, 60

Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.: Permeability testing with flexible-wall permeameters, Sept., 113

Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.: Gelation of chemical grouts while in motion, June, 107

Data acquisition: Microcomputer based data acquisition systems for centrifuge modeling (Shen, Li, and Kim), Dec., 200

Davidson, J. L.: *see* Bloomquist, D. G., Davidson, J. L., and Townsend, F. C.

Davies, P. A.: *see* Dennis, C. W. and Davies, P. A.

De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.: Elastic-wave velocities and liquefaction potential, June, 77

Deen, R. C.: *see* Hopkins, T. C. and Deen, R. C.

Deformation: A study of membrane-permeant compatibility (Rad and Acar), June, 104

Dennis, C. W. and Davies, P. A.: Filter openings measured by a suction method, Sept., 153

Density: Estimation of the modulus of elasticity of cement stabilized materials (Kolias and Williams), March, 26

Dhliwayo, M. W.: *see* Singh, G. and Dhliwayo, M. W.

Dimensional analysis: The centrifuge as a research tool (Cheney and Fragaszy), Dec., 182

Drill holes: Computer-aided pressuremeter tests (Law), June, 99

Drilling: A field study of an automatic SPT hammer system (Riggs, Mathes, and Rassieur), Sept., 158

Doehring, D. O.: *see* Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.

Drnevich, V. P.: *see* Chung, R. M., Yokel, F. Y., and Drnevich, V. P.

Dusseault, M. B.: Rapid index tests for transitional materials, Sept., 169

Dusseault, M. B., Soderberg, H., and Sterne, K.: Preparation techniques for oil-sand testing, March, 3

Dust control: Effects of dust suppressants on tailing sand permeability (Scott), March, 41

E

Edil, T. B. and Motan, S. E.: Laboratory evaluation of soil suction components, Dec., 173

Elasticity modulus: Estimation of the modulus of elasticity of cement stabilized materials (Kolias and Williams), March, 26

Elastic waves: Elastic-wave velocities and liquefaction potential (De Alba, Baldwin, Janoo, Roe, and Celikkol), June, 77

Errors: Determination of local displacements on soil samples (Symes and Burland), June, 49

F

Field tests: Suggested practice for drilling boreholes for pressuremeter testing (Briaud and Gambin), March, 36

Foreman, D. E.: *see* Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.

Foundation investigations: A field study of an automatic SPT hammer system (Riggs, Mathes, and Rassieur), Sept., 158

Fragaszy, R. J.: *see* Cheney, J. A. and Fragaszy, R. J.

Fragaszy, R. J.: *see* Cheney, J. A., Fragaszy, R. J., and Schofield, A. N.

G

Gambin, M.: *see* Briaud, J.-L. and Gambin, M.

Gels: Gelation of chemcial grouts while in motion (Daniele, Hutchinson, Karol, Ospitia, and Reim), June, 107

Gravity: The centrifuge as a research tool (Cheney and Fragaszy), Dec., 182

Gunsallus, K. L., Kulhawy, F. H., and O'Rourke, T. D.: Evaluation of Schmidt hammer rebound hardness test holders, Sept., 164

H

Hammer
- Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Kovacs), Dec., 223
- Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Schmertmann), Sept., 167

Hardness tests: Evaluation of Schmidt hammer rebound hardness test holders (Gunsallus, Kulhawy, and O'Rourke), Sept., 164

Heuze, F. E.: Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack, Dec., 205

Hopkins, T. C. and Deen, R. C.: Identification of shales, March, 10

Howard, A. K.: The revised ASTM standard on the unified classification system, Dec., 216

Hutchinson, J.: *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.

Hydraulic conductivity
- Permeability testing with flexible-wall permeameters (Daniel, Trautwein, Boynton, and Foreman), Sept., 113
- A study of membrane-permeant compatibility (Rad and Acar), June, 104

I-K

Impact tests
- Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Kovacs), Dec., 223
- Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Schmertmann), Sept., 167

Janoo, V.: *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.

Karol, R. H.: *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.

Kim, Y.-S.: *see* Shen, C.-K., Li, X.-S., and Kim, Y.-S.

Ko, H.-Y.: *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.

Kolias, S. and Williams, R. I. T.: Estimation of the modulus of elasticity of cement stabilized materials, March, 26

Kovacs, W. D.: Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur, Dec., 223

Kulhawy, F. H.: *see* Gunsallus, K. L., Kulhawy, F. H., and O'Rourke, T. D.

L

Laboratory tests
- Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands (Charlie, Muzzy, Tiedemann, and Doehring), Dec., 211
- Filter openings measured by a suction method (Dennis and Davies), Sept., 153

Law, K. T.: Computer-aided pressuremeter tests, June, 99

Letter to the editor
- Rapid index tests for transitional materials (Dusseault), Sept., 168
- Rapid index tests for transitional materials (Oakland), March, 45

Liquefaction
- Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands (Charlie, Muzzy, Tiedemann, and Doehring), Dec., 211
- Elastic-wave velocities and liquefaction potential (De Alba, Baldwin, Janoo, Roe, and Celikkol), June, 77

Li, R.: *see* Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.

Li, X.-S.: *see* Shen, C.-K., Li, X.-S., and Kim, Y.-S.

M-N

Mathes, G. M.: *see* Riggs, C. O., Mathes, G. M., and Rassieur, C. L.

Mechanical properties: Filter openings measured by a suction method (Dennis and Davies), Sept., 153

Membranes
- A critical assessment of membrane penetration in the triaxial test (Vaid and Negussey), June, 70
- A study of membrane-permeant compatibility (Rad and Acar), June, 104

Models
- Drum centrifuge for geotechnical research (Cheney, Fragaszy, and Schofield), Dec., 188
- Phenomenological study of model piles in sand (Yazdanbod, O'Neill, and Aurora), Sept., 135

Moisture content: Identification of shales (Hopkins and Deen), March, 10

Motan, S. E.: *see* Edil, T. B. and Motan, S. E.

Muzzy, M. W.: *see* Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.

Negussey, D.: *see* Vaid, Y. P. and Negussey, D.

O

Oil sands: Preparation techniques for oil-sand testing (Dusseault, Soderberg, and Sterne), March, 3

Olsen, H. W.: *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.

O'Neill, M. W.: *see* Yazdanbod, A., O'Neill, M. W., and Aurora, R. P.

Optimum moisture content: Estimation of the modulus of elasticity of cement stabilized materials (Kolias and Williams), March, 26

O'Rourke, T. D.: *see* Gunsallus, K. L., Kulhawy, F. H., and O'Rourke, T. D.

Ospitia, L.: *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.

P

Pane, V.: *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.

Penetration tests
- Discussion of "reproducible SPT hammer impact force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Kovacs), Dec., 223
- Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur (Schmertmann), Sept., 167

Pepe, F. D., Jr.: *see* Clemence, S. P. and Pepe, F. D., Jr.

Permeability
- Effects of dust suppressants on tailing sand permeability (Scott), March, 41
- Permeability testing with flexible-wall permeameters (Daniel, Trautwein, Boynton, and Foreman), Sept., 113

Piles: Phenomenological study of model piles in sand (Yazdanbod, O'Neill, and Aurora), Sept., 135

R

Rad, N. S. and Acar, Y. B.: A study of membrane-permeant compatibility, June, 104

Rassieur, C. L.: *see* Riggs, C. O., Mathes, G. M., and Rassieur, C. L.

Reim, B.: *see* Daniele, P., Hutchinson, J., Karol, R. H., Ospitia, L., and Reim, B.

Riggs, C. O., Mathes, G. M., and Rassieur, C. L.: A field study of an automatic SPT hammer system, Sept., 158

Rock mechanics
- Evaluation of Schmidt hammer rebound hardness test holders (Gunsallus, Kulhawy, and O'Rourke), Sept., 164
- Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack (Heuze), Dec., 205

Rocks: Suggested method for estimating the in-situ modulus of deformation of rock using the NX-borehole jack (Heuze), Dec., 205

Rock testing: Evaluation of Schmidt hammer rebound hardness test holders (Gunsallus, Kulhawy, and O'Rourke), Sept., 164
Roe, G.: *see* De Alba, P., Baldwin, K., Janoo, V., Roe, G., and Celikkol, B.

S

Sadana, M. L.: *see* Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.
Sands
A critical assessment of membrane penetration in the triaxial test (Vaid and Negussey), June, 70
Cyclic triaxial behavior of Monterey Number 0 and Number 0/30 sands (Charlie, Muzzy, Tiedemann, and Doehring), Dec., 211
Design of polyvinyl chloride tar mixes for resistance to permanent deformation (Singh and Dhliwayo), March, 19
Effects of dust suppressants on tailing sand permeability (Scott), March, 41
Elastic-wave velocities and liquefaction potential (De Alba, Baldwin, Janoo, Roe, and Celikkol), June, 77
Evaluation of dynamic properties of sands by resonant column testing (Chung, Yokel, and Drnevich), June, 60
Phenomenological study of model piles in sand (Yazdanbod, O'Neill, and Aurora), Sept., 135
The revised ASTM standard on the unified classification system (Howard), Dec., 216
Sandstones: Preparation techniques for oil-sand testing (Dusseault, Soderberg, and Sterne), March, 3
Schiffman, R. L.: *see* Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.
Schmertmann, J. H.: Discussion of "reproducible SPT hammer force with an automatic free fall SPT hammer system" by C. O. Riggs, N. O. Schmidt, and C. L. Rassieur, Sept., 167
Schofield, A. N.: *see* Cheney, J. A., Fragaszy, R. J., and Schofield, A. N.
Scott, J. C.: Effects of dust suppressants on tailing sand permeability, March, 41
Shales: Identification of shales (Hopkins and Deen), March, 10
Shear strain: Evaluation of dynamic properties of sands by resonant column testing (Chung, Yokel, and Drnevich), June, 60
Shear strength: The use of electrical conductivity for evaluation of strain distribution in the simple shear device (Yong, Sadana, Li, and Chen), June, 89
Shear stress: Design basis for cells measuring shear stresses in an interface (Askegaard), June, 94
Shear tests: The use of electrical conductivity for evaluation of strain distribution in the simple shear device (Yong, Sadana, Li, and Chen), June, 89
Shen, C.-K., Li, X.-S., and Kim, Y.-S.: Microcomputer based data acquisition systems for centrifuge modeling, Dec., 200
Singh, G. and Dhliwayo, M. W.: Design of polyvinyl chloride tar mixes for resistance to permanent deformation, March, 19
Slurries: Platform orientation and start-up time during centrifuge testing (Bloomquist, Davidson, and Townsend), Dec., 195
Soderberg, H.: *see* Dusseault, M. B., Soderberg, H., and Sterne, K.
Sodium compounds: Gelation of chemical grouts while in motion, (Daniele, Hutchinson, Karol, Ospitia, and Reim), June, 107
Soil classifications: The revised ASTM standard on the unified classification system (Howard), Dec., 216
Soils
Laboratory evaluation of soil suction components (Edil and Motan), Dec., 173
Permeability testing with flexible-wall permeameters (Daniel, Trautwein, Boynton, and Foreman), Sept., 113
The revised ASTM standard on the unified classification system (Howard), Dec., 216
Suggested practice for drilling boreholes for pressuremeter testing (Briaud and Gambin), March, 36
The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses (Znidarcic, Croce, Pane, Ko, Olsen, and Schiffman), Sept., 123
Soil tests
Determination of local displacements on soil samples (Symes and Burland), June, 49
Measurement of lateral stress around multihelix anchors in sand (Clemence and Pepe), Sept., 145
Suggested practice for drilling boreholes for pressuremeter testing (Briaud and Gambin), March, 36
Stability: Drum centrifuge for geotechnical research (Cheney, Fragaszy, and Schofield), Dec., 188
Sterne, K.: *see* Dusseault, M. B., Soderberg, H., and Sterne, K.
Strain: The use of electrical conductivity for evaluation of strain distribution in the simple shear device (Yong, Sadana, Li, and Chen), June, 89
Strain measurement: Determination of local displacements on soil samples (Symes and Burland), June, 49
Swelling pressures: Identification of shales (Hopkins and Deen), March, 10
Symes, M. J. and Burland, J. B.: Determination of local displacements on soil samples, June, 49

T

Test procedures: Preparation techniques for oil-sand testing (Dusseault, Soderberg, and Sterne), March, 3
Tiedemann, D. A.: *see* Charlie, W. A., Muzzy, M. W., Tiedemann, D. A., and Doehring, D. O.
Townsend, F. C.: *see* Bloomquist, D. G., Davidson, J. L., and Townsend, F. C.
Transducers: Computer-aided pressuremeter tests (Law), June, 99
Trautwein, S. J.: *see* Daniel, D. E., Trautwein, S. J., Boynton, S. S., and Foreman, D. E.
Triaxial tests: A critical assessment of membrane penetration in the triaxial test (Vaid and Negussey), June, 70

U-Z

Underdrains: Filter openings measured by a suction method (Dennis and Davies), Sept., 153
Vaid, Y. P. and Negussey, D.: A critical assessment of membrane penetration in the triaxial test, June, 70
Wall friction: Design basis for cells measuring shear stresses in an interface (Askegaard), June, 94
Williams, R. I. T.: *see* Kolias, S. and Williams, R. I. T.
Yazdanbod, A., O'Neill, M. W., and Aurora, R. P.: Phenomenological study of model piles in sand, Sept., 135
Yokel, F. Y.: *see* Chung, R. M., Yokel, F. Y., and Drnevich, V. P.
Yong, R. N., Sadana, M. L., Li, R., and Chen, S. Y.: The use of electrical conductivity for evaluation of strain distribution in the simple shear device, June, 89
Znidarcic, D., Croce, P., Pane, V., Ko, H.-Y., Olsen, H. W., and Schiffman, R. L.: The theory of one-dimensional consolidation of saturated clays: III. existing testing procedures and analyses, Sept., 123